SPE B. Utech

SPE RESPONSE I	FOR CERTIFICATE OF CORRECTION 10/018, 67
	Panar Na
DATE : 6/21/05	Paper No.:
TO SPE OF : ART UNIT 1722	
SUBJECT : Request for Certificate of Co	orrection on Patent No.: <u>6722872</u>
A response is requested with respect to the	ne accompanying request for a certificate of correction.
Please complete this form and return v	with file, within 7 days to:
Palm location 7580, Certificates of Co	orrection Branch – South Tower – 9A22
If response is for an IFW, <mark>return to en</mark> MADRAS.	nployee (named below) via PUBSCofC Team in
	correcting Office and/or Applicant's errors, should the correction (COCIN)? No new matter should be introduced, nor changed.
•	Lamonte M. Newsome
Thank You For Your Assistance	Certificates of Correction Branch
	Tel. No. 703-305-8309
The request for issuing the above-id Note your decision on the appropriate box. Approved	dentified correction(s) is hereby: All changes apply.
Approved in Part	Specify below which changes do not apply.
☐ Denied	State the reasons for denial below.
Comments:	
Changes to col. 1, col.	
,	6 ml. col. 8 approved.
Charge to title page den	wind as form PTO/SB/44 continual
Change to title page den typographical arror. "	by days. days. " should be " by 249 day
Charge to title page den typographical arror. "	by days days. " should be " by 249 day
Charge to title page den typographical arror. "	by days days. " should be " by 249 day

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

6,722,872 BI

Page _1 _ of _1

APPLICATION NO.:

10/018,673

ISSUE DATE

April 20, 2004

INVENTOR(S)

William J. Swanson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Title Page</u>, (*) Notice:

Line 3, delete "bydays.days.", insert -- by 224 days. --

"by 249 Lys",

Col. 1,

Line 40, delete "base", insert -- base. -- 6

Line 41, delete "96.", insert -- 96, -- 0/K

Col. 8,

Line 15, delete "pace", insert -- place -- place

Line 19, delete "alterative,", insert -- alternative, -- of

MAILING ADDRESS OF SENDER (Please do not use customer number below):

KINNEY & LANGE PA

312 SOUTH THIRD STREET

MINEAPOLIS MINESOTA 55415 1002

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



(12) United States Patent

Swanson et al.

(10) Patent No.:

US 6,722,872 B1

(45) Date of Patent: Apr. 20, 2004

(54) HIGH TEMPERATURE MODELING **APPARATUS**

(75) Inventors: William J. Swanson, St. Paul, MN (US); Patrick W. Turley, Eden Prairie, MN (US); Paul J. Leavitt, Minneapolis, MN (US); Peter J. Karwoski, Circle Pines, MN (US); Joseph E. LaBossiere, Lino Lakes, MN (US); Robert L. Skubic, Chanhassen, MN (US)

(73) Assignee: Stratasys, Inc., Eden Prairie, MN (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 249 days.

(21) Appl. No.: 10/018,673

(22) PCT Filed: Jun. 23, 2000

(86) PCT No.: PCT/US00/17363 § 371 (c)(1),

(2), (4) Date: Dec. 13, 2001 (87) PCT Pub. No.: WO00/78519

PCT Pub. Date: Dec. 28, 2000

Related U.S. Application Data

Provisional application No. 60/140,613, filed on Jun. 23,

(51)	Int. Cl. '	B29C 41/02 ; B29C 41/36
(52)	U.S. Cl	425/225; 425/226; 425/375
(58)	Field of Search	425/225, 226,
		425/375

(56)References Cited

U.S. PATENT DOCUMENTS

4,749,347 A * 6/1988 Valavaara 425/135

		Crump 425/174.4
5,402,351 A *	3/1995	Batchelder et al 364/468
5,764,521 A *	6/1998	Batchelder et al 425/375
5,866,058 A *	2/1999	Batchelder et al 264/308
5,939,008 A *	8/1999	Comb et al 264/308
6,261,077 B1 *	7/2001	Bishop et al 425/174.4

OTHER PUBLICATIONS

Paper entitled "High Temperature Fused Deposition Modelling: An Experimental Study Focusing on Modelling Materials", by F.K. Feenstra, from Time-Compression Technologies '98 Conference (Oct. 13-14, 1998, Nottingham, U.K.).*

* cited by examiner

Primary Examiner-Robert B. Davis (74) Attorney, Agent, or Firm-Kinney & Lange, P.A.

ABSTRACT

Disclosed is a three-dimensional modeling apparatus (10) that builds up three-dimensional objects in a heated build chamber (24) by dispensing modeling material from a dispensing head (14) onto a base (16) in a pattern determined by control signals from a controller (140). The motion control components (18, 20) of the apparatus (10) are external to and thermally isolated from the build chamber (24). A deformable thermal insulator (132) forms a ceiling of the building chamber, allowing motion control of the dispensing head (14) in an x, y plane by an x-y gantry (18) located outside of and insulated from the build chamber (24). In the preferred embodiment, a material dispensing outlet (66) of the dispensing head is inside the chamber. Thermal isolation of the motion control components from the build chamber allows the chamber to be maintained at a high temperature.

22 Claims, 7 Drawing Sheets

